
Shared components: IoT connected multif.actuator 4out relay

03985

Wiring devices / View Wireless wiring devices / Shared components / DIN devices



IoT connected multif.actuator 4out relay

VIEW Wireless electronic control actuator with 4 relay outputs 16 A 240 V~, programmable NO/NC with function to control lights, roller shutters with slat orientation, fan coil, climate control, accesses, push buttons for local control, IoT technology on Bluetooth 5.0 standard for the creation of VIEW Wireless mesh system, 100-240 V 50/60 Hz power supply, installation on DIN rail (60715 TH35), occupies 4 modules size 17.5 mm

Product Status

3 - Active


Minimum order quantity

1 NR


Sheets, Manuals, Documentation

- Full instructions sheet (485 kb)
- Ficha de instrucciones Full (488 kb)
- Anweisungsblatt Full (488 kb)
- Light multilanguage instructions sheet (1082 kb)
- ورقة الإرشادات Full (619 kb)
- Notice technique Full (488 kb)
- Φυλλάδιο οδηγιών Full (597 kb)
- Manuale app View Wireless (19693 kb)
- Manuel appli View Wireless (43543 kb)
- Manual app View Wireless (43542 kb)
- Manual View Wireless app (42589 kb)
- Εγχειρίδιο τεχνικού εγκατάστασης (43825 kb)
- Installationsanleitung View Wireless (43598 kb)


Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU (download)**
- **01. IMQ - Italy**
- **37. Marking - Morocco**
- **40. Bluetooth technology**
- **46. UK PSTI compliance (download)**

Technical data

Class group: Installation bus systems

Class: Switch actuator for bus system

Bus system KNX: No

Bus system KNX-RF (Radio Frequency): No

Bus system radio frequency: Yes

Bus system LON: No

Bus system Powernet: No

Other bus systems: None

Radio frequency bidirectional: Yes

Mounting method: DRA (DIN-rail adaptor)

Width in number of modular spacings: 4

Local operation/hand operation: Yes

With LED indication: Yes

Packaging



8007352767416

Qtà	1 NR
Dim	11.7x10.8x7.1 [cm]
Weight	241.7 [g]



8007352767423

Qtà	60 NR
Dim	59x38.5x30 [cm]
Weight	15,225 [g]

You may also be interested in



14597 - IoT connected gateway 2M white



19597 - IoT connected gateway 2M grey



09597.CM - IoT connected gateway 2M carbon matt



09597 - IoT connected gateway 2M white



20597 - IoT connected gateway 2M grey



30807.B - IoT connected Gateway 2M white



14591.0 - IoT connected device mechanism



19591.0 - IoT connected device mechanism



30801 - IoT connected mechanism



20591.0 - IoT connected device mechanism

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.