Shared components: 3IN 1OUT IoT connected module

03983

Wiring devices / View Wireless wiring devices / Shared components / Non-modular components



3IN 1OUT IoT connected module

VIEW Wireless electronic module with 3 programmable digital inputs for potential-free contacts, 1 programmable NO/NC relay output for SELV voltage-free contact, IoT technology on Bluetooth 5.0 standard to create the VIEW Wireless mesh system, 100-240 V 50/60 Hz power supply, flush mounting (retrofit)

Product Status

3 - Active


Minimum order quantity

1 NR


Sheets, Manuals, Documentation

- Light multilanguage instructions sheet (1210 kb)
- Foglio istruzioni Full (1748 kb)
- Full ورقة الإرشادات (1941 kb)
- Notice technique Full (1779 kb)
- Ficha de instrucciones Full (1777 kb)
- Full instructions sheet (1770 kb)
- Φυλλάδιο οδηγιών Full (1921 kb)
- Anweisungsblatt Full (1791 kb)
- Manuale app View Wireless (19693 kb)
- Manuel appli View Wireless (43543 kb)
- Manual app View Wireless (43542 kb)
- Manual View Wireless app (42589 kb)
- Εγχειρίδιο τεχνικού εγκατάστασης (43825 kb)
- Installationsanleitung View Wireless (43598 kb)


Drawings



Space view



Backside view



3D View

Certifications

- **00. CE Marking - EU (download)**
- **01. IMQ - Italy**
- **37. Marking - Morocco**
- **40. Bluetooth technology**
- **46. UK PSTI compliance (download)**

Technical data

Class group: Relays

Class: Switching relay

Type of electric connection: Screw connection

Complete with socket: Yes

With detachable clamps: No

With LED indication: No

Voltage type for actuating: AC

Drive, polarization: Polarity free

Degree of protection (IP): IP20

Width: 55,10 mm

Height: 54,30 mm

Depth: 23,00 mm

Packaging



8007352761254

Qtà	1 NR
Dim	6x5.4x5.2 [cm]
Weight	49 [g]



8007352761261

Qtà	60 NR
Dim	37.5x30x13.5 [cm]
Weight	3,300 [g]

You may also be interested in



14597 - IoT connected gateway 2M white



19597 - IoT connected gateway 2M grey



09597.CM - IoT connected gateway 2M carbon matt



09597 - IoT connected gateway 2M white



20597 - IoT connected gateway 2M grey



30807.B - IoT connected Gateway 2M white



14591.0 - IoT connected device mechanism



19591.0 - IoT connected device mechanism



30801 - IoT connected mechanism



20591.0 - IoT connected device mechanism



03895 - Button for remote assistance call

Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.