# Surface mounting components: Bluetooth Low Energy RF device

**03925**

Smart systems&products / Smart switch&sound / Surface mounting components / Non-modular components



**Bluetooth Low Energy RF device**

4-button flat device with 2.4 GHz Bluetooth Low Energy standard radiofrequency transmitter, energy harvesting supply powered by built-in electrodynamic generator, to complete with Eikon 20506 or 20506.2, Arké 19506 or 19506.2(>,)> Idea 16526 or 16526.2 or Plana 14506 or 14506.2 buttons - 2 modules

**Product Status**

3 - Active

**Minimum order quantity**

1 NR

## Sheets, Manuals, Documentation

- Installation diagrams (1068 kb)
- Multilanguage instructions sheet (1253 kb)
- Manuale installatore (550 kb)
- Installer manual (649 kb)
- Manuale app View Wireless (19693 kb)
- Manuel appli View Wireless (43543 kb)
- Manual app View Wireless (43542 kb)
- Manual View Wireless app (42589 kb)
- Εγχειρίδιο τεχνικού εγκατάστασης (43825 kb)
- Installationsanleitung View Wireless (43598 kb)

## Certifications

- **00. CE Marking - EU (download)**
- **32. FCC - USA**
- **33. ISED - Canada**
- **37. Marking - Morocco**
- **40. Bluetooth technology**
- **46. UK PSTI compliance (download)**
- **99. WEEE Directive (download)**

## Technical data

**Class group**: Installation bus systems

**Class**: Light control unit for bus system

**Bus system KNX**: No

**Bus system KNX-RF (Radio Frequency)**: No

**Bus system radio frequency**: Yes

**Bus system LON**: No

**Bus system Powernet**: No

**Other bus systems**: None

**Radio frequency bidirectional**: No

**Mounting method**: Surface mounted

**Width in number of modular spacings**: 2

**With bus connection**: No

**Substation input**: No

**Local operation/hand operation**: No

**With LED indication**: No

**Interface 1-10 V**: No

**Number of inputs for light sensor**: 0

**Degree of protection (IP)**: IP40

## Packaging

8007352596054

| | |
|---|---|
| **Qtà** | 1 NR |
| **Dim** | 5.1x4.3x5.3 [cm] |
| **Weight** | 41.5 [g] |

8007352596061

| | |
|---|---|
| **Qtà** | 6 NR |
| **Dim** | 14.4x11.6x6 [cm] |
| **Weight** | 297.4 [g] |

## You may also be interested in



14597 - IoT connected gateway 2M white



19597 - IoT connected gateway 2M grey



20597 - IoT connected gateway 2M grey



30507.G - Radio control frame 2M black



19506.2 - Button 2M for RF switch grey



19506.2.B - Button 2M for RF switch white



19506 - Button 1M for RF switch grey - 2pieces



20597.B - IoT connected gateway 2M white



20597.N - IoT connected gateway 2M Next



19506.B - Button 1M for RF switch white - 2pieces



19597.B - IoT connected gateway 2M white



19597.M - IoT connected gateway 2M Metal



14597.SL - IoT connected gateway 2M Silver



20506.2 - Button 2M for RF switch grey



14506 - Button 1M for RF switch white - 2pieces



20506.2.B - Button 2M for RF switch white



20506.B - Button 1M for RF switch white - 2pieces



20506 - Button 1M for RF switch grey - 2pieces



21507.1.B - Frame for RF device white



21507.1 - Frame for RF device grey



19506.M - Button 1M for

RF switch Metal - 2pieces



19507.CL.B - Frame RF device Classic plate white



19507.CL - Frame RF device Classic plate grey



19507.RN.B - Frame RF device Round plate white



19507.RN - Frame RF device Round plate grey



20506.2.N - Button 2M for RF switch Next



14506.2.SL - Button 2M for RF switch Silver



14506.2 - Button 2M for RF switch white



14506.SL - Button 1M for RF switch Silver - 2pieces




14507 - Frame 2M for RF device white



20506.N - Button 1M for RF switch Next - 2pieces



19506.2.M - Button 2M for RF switch Metal



22507.B - Frame for RF device white



22507 - Frame for RF device grey



19593.B - 16 A IoT connected actuator white



19593.M - 16 A IoT connected actuator Metal



19593 - 16 A IoT connected actuator grey



20593.B - 16 A IoT connected actuator white



20593.N - 16 A IoT connected actuator Next



20593 - 16 A IoT connected actuator grey



14592.0 - 2-way switch IoT connected mechanism



14593.SL - Connected actuator 16A Silver



14593 - Connected actuator 16A white

## Legal

Vimar reserves the right to change at any time and without notice the characteristics of the products reported.Installation should be carried out by qualified staff in compliance with the current regulations regarding the installation of electrical equipment in the country where the products are installed.For the terms of use of the information on the product info sheet see Conditions of Use.